

Vehicle Make	Vehicle Model	Vehicle Year	Model#	Nav	TFT	Available	Notes		Extra I	nformation	
				N=Navmate i=iG0				Uses Complete Factory XM System & Antenna	Can Use Factory XM Antenna W/ Kit & Adapter	Compatible With Factory Backup Camera	
Universal Double Din		OPEN	ADVUV630i		6.2	8/15/2012	Now includes Pandora, iGo mapping, and BT SWC contorls				
Buick	Enclave Lucerne	2008 - 2012 2008 - 2011	OGM1 OGM1		7	Current Current	*1 *3 See Notes Below *1 *3 See Notes Below	X			
Chevy	Avalanche Impala Silverado Suburban Tahoe	2008 - 2012 2009 2008 - 2012 2008 - 2012 2008 - 2012	OGM1 OGM1 OGM1 OGM1 OGM1		7 7 7 7 7	Current Current Current Current Current	*1 *3 See Notes Below	X X X X X		*3 *3 *3 *3 *3 *3 *3 *3 *3 *3 *3 *3 *3 *	
	Traverse Equinox Express Van	2008 - 2012 2008 - 2009 2008 - 2012	OGM1 OGM1 OGM1		7	Current Current Current	*1 *3 See Notes Below *1 *3 See Notes Below *1 *3 See Notes Below	X X X		*3	
Chrysler	200 Town & Country	2011 - 2012 2011 - 2012	OCH1 OCH1		6.5	Current	Compatible with Factory Amvehicle modification, always fo		installation instru		SEE
Dodge	Nitro - All Models Challenger SXT /Plus Caliber Grand Caravan Journey Dakota	2009 - 2011 2011 - 2012 2011 - 2012 2011 - 2012 2009 - 2010 2009-2011	OCH1 OCH1 OCH1 OCH1 OCH1 OCH1		6.5 6.5 6.5 6.5 6.5 6.5	Current Current Current Current Current Current			installation instr n to CNP2000UC	uctions. Can use Factory	NOTE BELOW
GMC	Acadia	2008 - 2012	OGM1		7	Current	Does not match dash lights *1 *2 *3	X		*3	
	Sierra Savanna Van Yukon	2008 - 2012 2010 - 2012 2008 - 2012	OGM1 OGM1 OGM1		7 7 7 7	Current Current Current	*1 *3 See Notes Below *1 *3 See Notes Below *1 *3 See Notes Below	X		*3 *3 *3	
Honda	CRV Civic	2007 - 2011 2006 - 2011	OHOCRV1 OHOCVC1	N	7	Current Current	Not compatible w Not compatible w				
Hummer	H2	2008 - 2010	OGM1	N	7	Current	*1 *3 See Notes Below	X			
Hyundai	Sonata Santa Fe	2011 - 2013 2009 - 2012	OHYSON1 OHYSFE1	N	7	Current	Not Compatible in 2012 l *4	Limited & Limited F	Plus <u>- Works with</u>	BlueLink Systems	



Vehicle Make	Vehicle Model	Vehicle Year	Model Num	ber		Availability	Notes	Extra Information
								Uses Complete Factory XM System & Antenna Can Use Factory XM Antenna W/ Backup Camera
JEEP	Wrangler Unlimited	2011 - 2012	OCH1		6.5	Current		
	Wrangler Sport	2011 - 2012	OCH1		6.5	Current	Compatible with Factory Am	plifier systems - All OCH1 installations may require some
	Compass	2011 - 2012	OCH1		6.5	Current	vehicle modification, always fo	llow the included installation instructions. Can use Factory
	Liberty	2011 - 2012	OCH1		6.5	Current	Sat Ante	nna for Connection to CNP2000UCA.
	Patriot	2011 - 2012	OCH1	i	6.5	Current		
Saturn	Outlook	2007 - 2010	OGM1		7	Current	*1 *3 See Notes Below	
	Vue	2008 - 2010	OGM1		7	Current	*1 *3 See Notes Below	X
	ΡΑΝΑΙΕΩΩ	2011 2012						
RAM	RAM 1500 RAM 2500	2011 - 2013 2011 - 2013	OCH1 OCH1		6.56.5	Current	Compatible with Factory Amplifier syste	ems - All OCH1 installations may require some vehicle modification, always
	RAIVI ZOUU	ZULL ZULD	OCHI			Current	follow the included installation instructions.	
	ΕΛΛΑ 2ΕΛΛ	2011 2012	CL1			Curront		
	RAM 3500	2011 - 2013	OCH1		6.5	Current		
Subaru			OCH1 OSUFOR1		6.5 7	Current 8/15/2012		
Subaru	RAM 3500 Forester / Impreza	2011 - 2013 2009 - 2012			7			
Subaru Toyota/Scion		2009 - 2012		i	6.5 7 8			
	Forester / Impreza Camry W/iGO Primo	2009 - 2012 2012 L , LE, SE &	OSUFOR1	i	7	8/15/2012		
	Forester / Impreza Camry W/iGO Primo Mapping	2009 - 2012 2012 L , LE, SE & LE Hybrid	OSUFOR1	i	7	8/15/2012	TOYOTA MODELS THAT INCLUDE Igo MAPPING ALSO INCLUDE TOYOTA	
	Forester / Impreza Camry W/iGO Primo Mapping	2009 - 2012 2012 L , LE, SE & LE Hybrid 2007 - 2012	OSUFOR1	i	8	8/15/2012 Current 8/1/2012	MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB.	X
	Forester / Impreza Camry W/iGO Primo Mapping FJ Cruiser 4Runner	2009 - 2012 2012 L , LE, SE & LE Hybrid 2007 - 2012 2003 - 2009	OSUFOR1 OTOCAM3 OTOMF1 OTOMF1	i	7 8 6.5 6.5	8/15/2012 Current 8/1/2012 8/1/2012	MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB. All Toyota Models Require Connection to the Parking Brake Circuit to view video.	X
	Forester / Impreza Camry W/iGO Primo Mapping FJ Cruiser 4Runner Highlander Prius Two (3rd Gen)	2009 - 2012 2012 L , LE, SE & LE Hybrid 2007 - 2012 2003 - 2009 2009 - 2012	OSUFOR1 OTOCAM3 OTOMF1 OTOMF1 OTOHIG1	i i N N	7 8 6.5 6.5	8/15/2012 Current 8/1/2012 8/1/2012 Current	MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB. All Toyota Models Require Connection to the Parking Brake Circuit to view video. For ALL Toyota models with JBL	X
	Forester / Impreza Camry W/iGO Primo Mapping FJ Cruiser 4Runner Highlander Prius Two (3rd Gen) ONLY	2009 - 2012 2012 L , LE, SE & LE Hybrid 2007 - 2012 2003 - 2009 2009 - 2012 2010-2012	OSUFOR1 OTOCAM3 OTOMF1 OTOMF1 OTOHIG1 OTOPRI1	i i N N N	7 8 6.5 6.5	8/15/2012 Current 8/1/2012 8/1/2012 Current Current Current	MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB. All Toyota Models Require Connection to the Parking Brake Circuit to view video. For ALL Toyota models with JBL systems use PAC part# TATO - Noise or Popping may occur with other	X
	Forester / Impreza Camry W/iGO Primo Mapping FJ Cruiser 4Runner Highlander Prius Two (3rd Gen) ONLY Rav-4	2009 - 2012 2012 L , LE, SE & LE Hybrid 2007 - 2012 2003 - 2009 2009 - 2012 2010-2012 2006 - 2012	OSUFOR1 OTOCAM3 OTOMF1 OTOHIG1 OTOPRI1 OTORAV1	i i N N N N N N N N N N N N N N N N N N	7 8 6.5 6.5	8/15/2012 Current 8/1/2012 8/1/2012 Current Current Current	MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB. All Toyota Models Require Connection to the Parking Brake Circuit to view video. For ALL Toyota models with JBL systems use PAC part# TATO - Noise	X
	Forester / Impreza Camry W/iGO Primo Mapping FJ Cruiser 4Runner Highlander Prius Two (3rd Gen) ONLY Rav-4 Sequoia	2009 - 2012 2012 L , LE, SE & LE Hybrid 2007 - 2012 2003 - 2009 2009 - 2012 2010-2012 2006 - 2012 2008 - 2012	OSUFOR1 OTOCAM3 OTOMF1 OTOHIG1 OTOPRI1 OTORAV1	i i N N N N N i i	7 8 6.5 8 7 7	8/15/2012 Current 8/1/2012 8/1/2012 Current Current Current Current	MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB. All Toyota Models Require Connection to the Parking Brake Circuit to view video. For ALL Toyota models with JBL systems use PAC part# TATO - Noise or Popping may occur with other	X
	Forester / Impreza Camry W/iGO Primo Mapping FJ Cruiser 4Runner Highlander Prius Two (3rd Gen) ONLY Rav-4 Sequoia Scion TC	2009 - 2012 2012 L , LE, SE & LE Hybrid 2007 - 2012 2003 - 2009 2009 - 2012 2010-2012 2006 - 2012 2008 - 2012 2007 - 2010	OSUFOR1 OTOCAM3 OTOMF1 OTOHIG1 OTOPRI1 OTORAV1 OTOTUN1 OTOMF1	i i N N N N i i i i	7 8 6.5 8 7 7 7 7 6.5	8/15/2012 Current 8/1/2012 Current Current Current Current 8/1/2012	MAPPING ALSO INCLUDE TOYOTA DIRECT FIT USB. All Toyota Models Require Connection to the Parking Brake Circuit to view video. For ALL Toyota models with JBL systems use PAC part# TATO - Noise or Popping may occur with other	X



Vehicle Make	Vehicle Model	Vehicle Year	Model Num	ıber		Availability	Notes	Extra Information
								Uses Complete Factory XM System & Antenna Can Use Factory XM Antenna W/ Kit & Adapter Compatible With Factory Backup Camera
Mazda	Mazda 3	2010 - 2012	OMZ31		7	9/1/2012		
	Mazda 6	2008 - 2012	OMZ61		7	9/1/2012		
VV	BEETLE	2012	OVV1	N	7	Current		
	CC	2009 - 2012	OVV1		7	Current		
	EOS	2007 - 2012	OVV1		7	Current	Now Fully Compatible with	
	GOLF	2012	OVV1		7	Current	Fender Amplified Systems	
	GTI	2006 - 2012	OVV1		7	Current	except for VIII.	Not Compatible with Premium VIII touchscreen sound system with HD Radio in all models of cars
	JETTA	2006 - 2012	OVV1		7	Current	Not Compatible with Dyn Audio or 6 Dick Changer	System with no hadio in an inouels of tars
	JETTA SPORTWAGON	2009 - 2012	OVV1		7	Current	DynAudio or 6 Disk Changer Systems	
	PASSAT	2006 - 2012	OVV1		7	Current	SEE TECH TIP ON XM INSTALLATION AT	USE CAUTION REMOVING RADIO TRIM
	ROUTAN	2012	*** OCH1 ***		6.5	Current	AUDIOVOXUNIVERSITY.COM	USE CARAVAN FIRMWARE FOR OCH1 IN ROUTAN
	TIGUAN	2008 - 2012	OVV1		7	Current		

NOTE: ALL Advent Navgation Systems are designed to replace NON-Navigation OEM Audio systems. Factory Navigation Systems often have different compatible with Advent OE Solutions.



Installation Notes							
XM Tuner For All Models	CNP2000UCA	MUST ORDER BOTH - MUST BE PROGRAMMED PER INSTRUCTIONS INCLUDED					
XM Direct Connection Cable required with CNP2000UCA	CNPJEN1						
Toyota XM Ant Adapter - Allows CNP2000UCA to use OEM Antenna	1124153						
Toyota USB Port Media Link - Fits Factory location in all	32813570						
iPod Cable Required for iPod Video	JLINKUSB						

GIVI Specific Notes

OGM1 Works with Factory GM XM tuner or CNP2000UCA Tuner from XM. Program with each models specific flash on XMDirect. Must use XMDirect version 3.3 or later ONLY! Always uninstall previous versions of XMDirect before downloading the new Flash utility.

Advent OGM1 - Works with Bose and Non-Bose equipped Vehicles - NOT COMPATIBLE WITH CENTER POINT SYSTEMS - SEE BELOW:

OGM1 Works with all current GM Functions, Warnings (Except LDS), OnStar, OnStar Navigation Voice Turn By Turn, Factory Bluetooth, Overhead Rear Video and Rear Seat Audio. Note: Cannot change XM station from Rear Seat Audio controls. All other RSE controls operate as normal. GM OnStar contains the GM Bluetooth. This remains working in all GM cars. The steering wheel controls in GM will continue to operate the GM Bluetooth, not the Advent Bluetooth. This is normal and cannot be changed or the OnStar system could not be controlled. The Advent Bluetooth can be used by utilizing the on screen controls.

GM Centerpoint systems: The OGM1 is not designed to work with the GM Centerpoint system. The easiest way to identify this system is by the center channel dash speaker. The factory radio may also have the DTS logo on the front of the radio. If you install a OGM1 into a Centerpoint equipped vehicle you will get no sound from the radio. This is normal and due to the fact that they are not compatible. There is nothing wrong with the radio. The vehicle may also show the code UQA on the trim/options tag in the glove box.

*1: All OGM1 radios now include a rear seat video harness. For REAR SEAT VIDEO in some older vehicles that were equipped with a Panasonic Overhead with a DVD loader, a PAC OS-4 or equivalent Adapter is required. Recommend contacting PAC or Metra for the latest part number. GM Wireless Remote control does NOT work with the OGM1.

*2: Acadia with "Cargo Area Audio Controls" - Not compatible with these controls - Comes in Technology Package

*3 For Older GM Vehicles with NON CAN Backup Camera, use Metra adapter part # BACKUPCAM

*4: On Hyundai with the Infinity Sound System - Radio will activate amplifier, use AMP ON/OFF adjustment, same as OGM1 Bose Adjustment . See tech update at audiovoxuniversity.com for more information - Bose amplifier setting.

*Notes: Steering Wheel Controls May Operate Differently Than On The OEM Radio That Has Been Removed Due to Added Features And Functions - This is covered in the owners manual for the end user.

OEM USB/AUX input jacks are not compatible with Advent OE Radio's. Most are not capable of charging iPhones or iPods at 1amp and do not have Video inputs. The Advent OE Radio Media Link is high speed USB 2.0, charges at 1amp and allows Video playback from iPhone/iPod (when using the correct cable) or supports Aux in from DVD players and other video devices.

If any discrepancies are found please advise immediately. All vehicles are subject to change based upon trim model, local special accessory kits offered by the manufacturer, and or dash color being changed without notice. AVX can not be responsible for these changes but will react to meet these needs as quickly as possible.