Vehicle Make	Vehicle Model	Vehicle Year	Model #	Nav Incl	Sat	TFT size	Available	Notes	Extra In	Information	
				N=Navmate	See Notes				Uses Complete Factory XM System & Antenna Can Use Factory XM Antenna W/ Kit & Adapter	Compatible With Factory Backup Camera	
Universal Double Din		OPEN	ADVUV630i			6.2	Current	Now includes Pandora, iGo mapping, & BT SWC control			
Buick	Enclave Lucerne	08 - 12 ONLY 2008 - 2011	OGM1 OGM1		XM XN	7	Current Current	*1 *3See Notes Below*1 *3See Notes Below	X X X		
Chevy	Avalanche Impala Silverado Suburban Tahoe Traverse Equinox Express Van	2008 - 2013 2009 2008 - 2013 2008 - 2013 2008 - 2013 08 - 12 ONLY 2008 - 2009 2008 - 2013	OGM1 OGM1 OGM1 OGM1 OGM1 OGM1 OGM1 OGM1		XM XM XM XM XM XM XM XM XM	7 7 7 7 7 7 7 7 7 7 7	Current Current Current Current Current Current Current Current	 *1 *3 See Notes Below 	XXXXXXXXXXXXXXX	*3 *3 *3 *3 *3 *3 *3 *3	
Chrysler	200 Town & Country	2011 - 2013 2011 - 2013	OCH1 OCH1			6.5	Current Current		Factory Amplifier systems - All C		
Dodge	Nitro - All Models Avenger - Base/RT	2009 - 2011 2010-2013	OCH1 OCH1		XM XN	6.5 6.5	Current Current	instructions. NOT compatible v	odification, always follow the ind with Overhead Video systems. I use PAC part# CHYRVD. The Fa	For integration with	
Challenger - Bas	e /RT/SXT /Plus/Classic Caliber Grand Caravan Journey Dakota	2011 - 2013 2011 - 2012 2011 - 2013 2009-2010 2009-2011	OCH1 OCH1 OCH1 OCH1 OCH1 OCH1		XM XM XM XM XM	6.5 6.5 6.5 6.5 6.5	Current Current Current Current Current	connection (if equipped) car does Not Support Chrysler R Chrysler 200 programming opt	n be used with the CNP2000UCA AP (retained Accessory Power).	Sat Tuner. OCH1 For Avenger use atriot programming	
Ford	F150	2009-2012	OF01501		SXM	8	Current	Fits All Trim Levels	Not Compatible With S	ony System	
	F150	2013 XL with XL Plus package ONLY	OFO1501			8	Current	Not Compatible V	Nith Sony System		
	Focus S/SE	2012 - 2013	OFOFOC1	Ĩ	SXM	8	Current	Not Compatible With Sor	ny System		



Application Chart 12/20/2012

Vehicle Make	Vehicle Model	Vehicle Year	Model #	Nav Incl	Sat	TFT size	Availability	Notes		Extra Informatio	Dn
				N=Navmate	See Notes				Uses Complete Factory XM System & Antenna	Can Use Factory XM Antenna W/ Kit & Adapter	Compatible With Factory Backup Camera
GMC	Acadia	08 - 12 ONLY	OGM1		XM	7	Current	*1 *2 *3 See Notes Below	X		*2 *3
	Sierra	2008 - 2013	OGM1		XM	7	Current	*1 *3 See Notes Below	X		*3
	Savanna Van	2010 - 2012	OGM1		XM	7	Current	*1*3 See Notes Below	X		*3
	Yukon	2008 - 2013	OGM1		XM	7	Current	*1*3 See Notes Below			*3
Honda	CRV	2007 - 2011	OHOCRV1	Ν	XM	7	Current	Not compatible wit	h Premier Sound	d Svs	
	Civic	2006 - 2011	OHOCVC1		XM	7	Current	Not compatible wit			
Hummer	H2	2008 - 2010	OGM1	i	XM	7	Current	*1*3 See Notes Below	X		
Hyundai	Sonata	2011 - 2013	OHYSON1			7	Current	Not Compatible in 2012 Lim Hybrid) and <u>Works with A</u>		tems, *4, Not Cor	
	Santa Fe	09 - 12 ONLY	OHYSFE1	Ν	XM	7	Current	*4			
JEEP	Wrangler Unlimited	2011 - 2013	OCH1		XM	6.5	Current				
	Wrangler Sport	2009 - 2013	OCH1		XM	6.5	Current				
	Compass	2011 - 2012	OCH1		XM	6.5	Current	See Notes	in Chrysler Dodg	e Section Above	
	Liberty	2011 - 2013	OCH1		XM	6.5	Current				
	Patriot	2011 - 2013	OCH1		XM	6.5	Current				
Mazda	Mazda 3 SV/Sport/Touring*	2010 - 2013	OMZ31			7	Current	*Only works in Touring with Base Radio 4 or 6 speaker package. *Only works in Touring with directly compatible with digital screen -			
	Mazda 6 Sport/Touring*	2008 - 2013	OMZ61			7	Current				with upgraded audio system - Not Compatible with Bose erpoint system
RAM	RAM 1500	2011 - 2012	OCH1		XM	6.5	Current	Cas Nistas in Charalan Dalas C			+L つへくつ D 4 F へへ
	RAM 2500	2011 - 2012	OCH1		XM	6.5	Current	See Notes in Chrysler Dodge Solo			th 2013 Ram1500.
	RAM 3500	2011 - 2012	OCH1		XM	6.5	Current	vve ar	e working on a n	ew solution	
Saturn	Outlook	2007 - 2010	OGM1		XM	7	Current	*1*3 See Notes Below	X		
	Vue	2008 - 2010	OGM1	i	XM	7	Current	*1 *3 See Notes Below	X		



Application Chart 12/20/2012

S 7

Vehicle Make	Vehicle Model	Vehicle Year	Model #	Nav Incl	Sat	TFT size	Availability	Notes		E)
				N=Navmate i=iGO	See Notes				Uses Complete Factory XM System & Antenna	Ca XI I
Toyota/Scion	Camry	2012 L , LE, SE & LE Hybrid	OTOCAM3		XM	8	Current			
	FJ Cruiser	2007 - 2013	OTOMF1		XM	6.5	Current			
	Corolla	2012 -2013	OTOMF1		XM	6.5	Current	TOYOTA MODELS THAT INCLUDE IGO	To replac	e To
	FRS	2013	OTOMF1		XM	6.5	Current	MAPPING ALSO INCLUDE TOYOTA		
	4Runner	2003 - 2009	OTOMF1		XM	6.5	Current			
	Highlander (Non Hybrid Models)	2009 - 2012	OTOHIG1	N	XM	8	Current			
	Highlander (Non Hybrid Models)	2013	OTOMF1		XM	6.5	Current Current	All Toyota Models Require Connection	See Tech Tip Availat	
	Prius Two (3rd Gen)	2010-2013	OTOPRI1	N	XM			to the Parking Brake Circuit to view video.		
	Rav-4	2012 See Note	OTORAV1		XM	7	Current		Must order H	Harr
	Sequoia	2008 - 2013	OTOTUN1		XM	7	Current			
	Scion iQ	2012 - 2013	OTOMF1		XM	6.5	Current	If using a Toyota model in a JBL		
	Scion TC	2007 - 2013	OTOMF1		XM	6.5	Current	equipped vehicle we recommend using		
	Scion xB/xD	2004 - 2013	OTOMF1		XM	6.5	Current	 a PAC part# TATO - Noise or Popping may occur with other brands. Contact 		
	Tundra	2007 - 2013	OTOTUN1		XM	7	Current	PAC for TATO Support or adapter		
	Venza	2009 - 2013	OTOVEN1			7	Current	specific question as this is not a Advent product.	Requires Ne Camera Adapte	
VW	BEETLE	2012 - 2013	OVW1	N	XM	7	Current			
	CC	2009 - 2013	OVW1	N	XM	7	Current	Now Fully Compatible with		
	EOS	2007 - 2012	OVW1	N	XM	7	Current	Fender Amplified Systems		
	GOLF	2012 - 2013	OVW1	N	XM	7	Current	except for VIII Audio System		
	GTI	2006 - 2013	OVW1	N	XM	7	Current		Not Compatik	
	JETTA	2007 - 2013	OVW1	N	XM	7	Current	Not Compatible with	sound system	wit
	JETTA SPORTWAGON	2009 - 2013	OVW1	N	XM	7	Current	DynAudio or 6 Disk Changer		
	PASSAT	2006 - 2013	OVW1	N	XM	-	Current	Systems	USE CAU'	
	ROUTAN		*** OCH1 ***		XN	<i>6</i> .5				
	TIGUAN	2012 2008 - 2013	OCHI OVW1	N	XIVI XM	U.J 7	Current Current	SEE TECH TIP ON XM INSTALLATION AT AUDIOVOXUNIVERSITY.COM	UJL LANAVAN	
νοτε· σιι σάν						ion Ol		stems. Factory Navigation Sys	toms ofton h	
								JULIIJI I MULUI Y INMULUI UNI UY		



Application Chart 12/20/2012

Extra Informat	ion	
Can Use Factory XM Antenna W/ Kit & Adapter	Compatible With Factory Backup Camera	
Toyota Display ty	pe radio ONLY	
	X	
ips for install n	otes at AVXU	
able in Black co arness #303132	blor only 10 for 2006-2011	SEE NOTE BEL
		S
/ Harness & r. See Tech Tip	X	
	n VIII touch screen n all models of cars	
ON REMOVING	G RADIO TRIM R OCH1 IN ROUTAN	
ve different co	onnections, CAN c	onnectivity,

XM Tuner For All Models listed as "XM" XM Direct Connection Cable required with CNP20 **SXM Tuner For All Models listed as "SXM"** Antenna **Toyota USB Port Media Link - Fits Factory location**

iPod Cable Required for iPod Video

OGM1 Works with Factory GM XM tuner or CNP2 Tuner from XM. Program with each models spec on XMDirect. Must use XMDirect version 3.3 (**ONLY! Always uninstall previous versions of XN** before downloading the new Flash utility.

GM Centerpoint systems: The OGM1 is not designed to work with the GM Centerpoint system. The eas nnel dash speaker. The factory radio may also have the DTS logo on the front of the radio. If you install a OGM1 into a Centerpoint equipped vehicle you will get no sound from the radio. This is normal and due to the fact that they are not compatible. There is nothing wrong with the radio. The vehicle may also show the code UQA on the trim/options tag in the glove box. *1: All OGM1 radios now include a rear seat video harness. For REAR SEAT VIDEO in some older vehicles that were equipped with a Panasonic Overhead with a DVD loader, a PAC OS-4 or equivalent Adapter is required. Recommend contacting PAC or Metra for the latest part number. GM Wireless Remote control does NOT work with the OGM1.

*2: Acadia with "Cargo Area Audio Controls" - Not compatible with these controls - Comes in Technology Package

*3 For Older GM Vehicles with NON CAN Backup Camera, use Metra adapter part # BACKUPCAM

*4: On Hyundai with the Infinity Sound System - Radio will activate amplifier, use AMP ON/OFF adjustment, same as OGM1 Bose Adjustment . See tech update at audiovoxuniversity.com for more information - Bose amplifier setting.

*Notes: Steering Wheel Controls May Operate Differently Than On The OEM Radio That Has Been Removed Due to Added Features And Functions - This is covered in the owners manual for the end user.

OEM USB/AUX input jacks are not compatible with Advent OE Radio's. Most are not capable of charging iPhones or iPods at 1 amp and do not have Video inputs. The Advent OE Radio Media Link is high speed USB 2.0, charges at 1amp and allows Video playback from iPhone/iPod (when using the correct cable) or supports Aux in from DVD players and other video devices.

If any discrepancies are found please advise immediately. All vehicles are subject to change based upon trim model, local special accessory kits offered by the manufacturer, and or dash color being changed without notice. AVX can not be responsible for these changes but will react to meet these needs as quickly as possible.

ADVENT TECH SUPPORT LINE: 1-800-323-4815 SUPPORT WEB SITE: WWW.AUDIOVOXUNIVERSITY.COM SALES WEB SITE: WWW.ADVENTPRODUCTS.COM



Application Chart 12/20/2012

		Installati
	CNP2000UCA	
OOOUCA	CNPJEN1	
	SXV200V1	
	1124153	
n in all	32813570	
	JLINKUSB	
		GIM Spec

2000UCA
cific flash
or later
MDirect

Advent OGM1 - Works with Bose and Nor Bose equipped Vehicles - NOT COMPATIBL WITH CENTER POINT SYSTEMS - SEE BELOV

ion Notes

	MUST ORDER BOTH - MUST BE PROGRAMMED
ific	Notes
DN- BLE DV:	OGM1 Works with GM Functions, Warnings (Exce chimes, Rear lift gate chimes, OnStar, OnStar Nav Overhead Rear Video and Rear Seat Audio. Not Audio controls. All other RSE controls operate Bluetooth. This remains working in all GM cars. T to operate the GM Bluetooth, not the Advent Bluetooth.
	or the OnStar system could not be controlled. Th on screen controls. Key Reminder Chimes will comple
	t way to identify this system is by the center chan will get no sound from the radio. This is normal a

ED PER INSTRUCTIONS INCLUDED

cept LDS), Side Blind Zone Alert (SBZA), Seat Belt avigation Voice Turn By Turn, Factory Bluetooth, ote: Cannot change XM station from Rear Seat ate as normal. GM OnStar contains the GM The steering wheel controls in GM will continue Sluetooth. This is normal and cannot be changed he Advent Bluetooth can be used by utilizing the Il not function when the radio has shut down letely.