

128-6702



IMPORTANT

An LCD panel and/or video monitor may be installed in a motor vehicle and visible to the driver if the LCD panel or video monitor is used for vehicle information, system control, rear or side observation or navigation. If the LCD panel or video monitor is used for television reception, video or DVD play, the LCD panel or video monitor must be installed so that these features will only function then the vehicle is in 'park' or when the vehicle's parking brake is applied.

An LCD panel or video monitor used for television reception, video or DVD play that operates when the vehicle is in gear or when the parking brake is not applied, must be installed to the rear of the driver's seat where it will not be visible, directly or indirectly, to the operator of the motor vehicle.

Warnings

- Do not use any solvents or cleaning materials when cleaning the video monitor.
- Do not use any abrasive cleaners, they may scratch the screen. Use only a lightly dampened lint free cloth to wipe the screen if it is dirty.
- Lock the LCD screen in the fully closed position when not in use.
- Before putting on headphones always adjust the volume setting to the lowest position.
- Remember to leave the dome light switch in the off or auto positions when the vehicle is unattended, as the dome lights, if left on, can drain the vehicle's battery.
- Do not put pressure on the screen.
- Caution children to avoid touching or scratching the screen, as it may become dirty or damaged.

Television Reception

This entertainment system is designed primarily for viewing prerecorded movies or playing video games. Television reception in a moving vehicle will be limited and in some areas will not be possible due to weak and variable signal strength. Television viewing in a stationary vehicle will result in an improvement, but may still be marginal due to signal strength. The quality of the picture will not be consistent with home TV reception. Reception may be affected by weather and distance from TV station. A weak signal may cause the picture to roll, be snowy, or cause some color loss.

-2-

128-6702 2 of 32 Congratulations on your purchase of the Audiovox VOD808 DVD Player with Drop-Down Video Monitor. The VOD808 has been designed to give you and your family many years of video entertainment in the mobile environment. Please read the directions that follow to familiarize yourself with the product and to ensure that you obtain the best results from your equipment. **Please note:** Installation options vary, see the individual owner's manuals for each component in your system to obtain a full understanding of each component's operation.

Safety Precaution

For safety reasons, when changing video media it is recommended that the vehicle is not in motion, and that you do not allow children to unfasten seat-belts to change video media or make any adjustments to the system. System adjustments can be accomplished using the remote control unit, while seat-belts remain fastened. Enjoy your Audiovox entertainment system but remember-safety of all passengers remains the number one priority.

Features

- 8 Inch (4:3) TFT (Thin Film Transistor) Active Matrix LCD (Liquid Crystal Display) Monitor
- Built-in DVD Player
- Built-in TV Tuner
 - AVI Input
 - AUX (Game/Camcorder) Input
- OSD (On Screen Display) for Control of Picture Quality and Functions
- Five-Frequency FM Modulator (remote control) with OSD for Frequency Display
- Dual Channel Infrared Transmitter for IR Wireless Headphones
- Headphone / Speaker Amplifier
- Headphone Jacks
- Forward and Side Remote Sensor
- Dome Lights with Switch
- Backlit Controls for Low Light Operation
- Full Function Remote Control

-3-

Controls and Indicators Diagram




Figure 1

-4-

Note : Audiovox recommends the use of the Audiovox HP275 Headphones when using wired headphones.

> 128-6702 4 of 32

Main Function Descriptions

- 1. DVD disc insertion slot.
- 2. Infrared Transmitter and Sensor Use to transmit audio to wireless headphones. Also allows the remote control to operate the VOD808 and to control other accessories in the system.
- 3. PLAY (>) Button This button is used to enter the play mode.
- 4. FWD (>>) Button Allows the user to search in a forward direction at 2, 4, 6 and 8 times the normal speed.
- 5. STOP (
 Button Pressing this button once will stop playback at the current position; pressing this button twice will return to the beginning of the disc.
- 6. PICTURE SELECT Button Each time this button is pressed, the on screen picture adjustment display cycles through "adjustment bars" for BRIGHTNESS, CONTRAST, COLOR, and TINT. Once the desired adjustment bar is displayed, use the VOLUME UP/ DOWN buttons to adjust the setting. The display will automatically turn off if no adjustments are made within 6 seconds, or if any other button is depressed.
- 7. VOLUME DOWN (-) Button Use this button to decrease the volume level of the headphone jacks. It is also to make picture adjustments in picture select mode.
- 8. VOLUME UP (+) Button Use this button to raise the volume level of the headphone jacks. It is also used to make picture adjustments in picture select mode. Note: These buttons will not affect the volume of wireless headphones or the wired RF modulator. When using these devices the volume must be adjusted with the wireless headphone volume control or with your radio's volume control (see page 16, Wireless Headphones, or page 17, Wired FM Modulator).
- 9. Three position Dome Light Switch
 - Auto Automatically switches on the dome lights in conjunction with the vehicle's interior illumination.
 - Off The dome lights will not turn on in this position.
 - On Turns on the dome lights.



128-6702 5 of 32 10.Screen Release – Moves in direction of the arrow to release the drop down screen.

11.REV (**I**) – Allows the user to search in a backwards direction.

- **12.Eject (<u></u><u></u>)** Button Ejects Disc.
- **13. Power Button –** Bright red when system is on dim when off.
- **14. Source Select** (TV, AV1, AUX, DVD).
- **15.TV Auto-program** Allows the user to scan and program active TV stations into memory.

16.Channel Up () Button – Use this button to increase the channel number to the desired number.

17.Channel Down (▼) Button – Use this button to decrease the channel number to the desired number.

- **18.Dome Lights –** provide additional interior illumination.
- 19. Drop Down LCD Panel.
- 20. Auxiliary Audio Right Input.
- 21. Auxiliary Audio Left Input.
- 22. Auxiliary Video Input.
- 23.Side Remote Sensor Eye Allows the remote control to operate the VOD808 OSD (On Screen Display), control volume to wired headphone jacks and control the other accessories. Note: Audiovox recommends the use of the Audiovox HP275 Headphones when using wired headphones.


24. Headphone Jack - Allows the use of wired headphones with a 1/8" plug for listening to video program audio.

25. VOD808 Ventilation Opening



128-6702 6 of 32

Remote Control Operation




Battery Installation

Before attempting to operate your Remote Control, install the batteries as described below.

- 1) Turn the Remote Control face down. Using a fingernail, lift the battery cover off.
- 2) Install two "AAA" batteries as shown. Make sure that proper polarity (+ or -) is observed.
- 3) Align the cover tabs with the remote control and press down until the cover clicks.

The remote control will operate the VOD808 and Audiovox VCP's. It is not a universal remote control and will not control equipment from other manufacturers.



128-6702 7 of 32

-7-

DVD Function Descriptions

*Function control is available on the unit and the remote control.

1. POWER Button*

Press this button to turn the VOD808 on. Press the button again to turn the VOD808 off.

2. SOURCE Button*

Video signals from video equipment connected to the audio / video inputs can be displayed on the monitor by pressing this button. Each time the button is pressed, the audio / video source will change the sources: DVD, TV, AV1 and AUX.

3. AUTO MEMORY Button*

When the AUTO MEMORY button is pressed, all channels are searched and channels that are detected with signals of sufficient levels are automatically stored. Please refer to page 2 for more information on TV reception.

4. SKIP/SEARCH Button

This button selects between SKIP and SEARCH mode. In "SKIP mode" the TV tuner will tune and stop on channels that are programmed into memory when CHANNEL UP/DOWN buttons are used. When the SKIP mode is disable, the TV will stop on all active channels.

5. ERASE/WRITE Button

While tuned to a channel, pressing this button will store or erase the channel from memory. The stored channel numbers are displayed in "GREEN" on the LCD display screen, and the erased channel numbers are displayed in "RED".

-8-

128-6702 8 of 32

6. Channel Up () Button

Use this button to increase the channel number to the desired channel and to scroll upward in menu options.

7. MUTE Button

Press this button to mute the audio. Pressing the button again restores sound to the previously set level.

8. ENTER Button

Used to implement setting selected.

9. LEFT (<) Button

Allows the user to shift left in the menu options.

10. MENU Button

Allows the user to access the main menu.

11. RETURN Button

Allows the user to return to the menu while PBC on. *Note: This function only present on VCD2.0.*

12. TV Mode Select Button

Switches certain function keys on the remote control for TV functions.

-9-

128-6702 9 of 32

13. DISPLAY Button

| Press DISPLAY button | DVD Player Perform | |
|----------------------|--|--|
| Once | Display current TITLE & CHAPTER | |
| Twice | Display current SUBTITLE | |
| 3 times | Display current AUDIO language & channel | |
| 4 times | Display SURROUND current status | |
| 5 times | Display current ANGLE | |
| 6 times | Display A-B current status | |
| 7 times | Display REPEAT current status | |
| 8 times | Display is turn off | |

Press to display DVD Disc current information.

For Title & Chapter, use cursor buttons to do title/chapter selection, then press Enter button to implement the selection. For Subtitle, Audio, Surround, Angle, A to B & Repeat, press Enter key repeatedly to change the options. These options may vary from disc to disc.

14. PAUSE (II) Button

Allows the user to pause the playback.

15. PREVIOUS (| ◀◀) Button

Allows the user to return to the previous chapter or track.

16. NEXT (▶▶|) Button

Allows the user to skip to the next chapter or track.

-10-

128-6702 10 of 32

17. REV (**◄**) Button*

Allows the user to search in a backward direction at 2,4, 6 and 8 times the normal speed.

18. FWD (►►) Button*

Allows the user to search in a forward direction at 2,4, 6 and 8 times the normal speed.

19. PLAY (►)Button*

Press this button to activate the play mode while a disc is loaded into the disc compartment.

20. STOP (■) Button*

DVD disc play will be stopped.

21. DVD Mode Select button

Switches certain function keys on the remote control for DVD functions.

22. VCP Mode Select button

Switches certain function keys on the remote control for VCP functions.

23. A-B Button

Allows the user to repeat play of a DVD or CD from point A to point B.

24. REPEAT Button

Allows the user to repeat various positions of a DVD, CD or MP3.

25. Channel Down (\bigtriangledown) Button

Use this button to decrease the channel number to the desired channel and to scroll downward in the menu options.



128-6702 11 of 32

26. SETUP Button

Allows the user to select the DVD player's options (Display, OSD Language, Defaults, Parental Control, Password, Exit Setup).

27. RIGHT () Button

Allows the user to shift to the right in the menu options.

28. PIX Button (PICTURE SELECT)*

Each time this button is pressed, the on screen picture adjustment display the "adjustment bars" for BRIGHTNESS, CONTRAST, COLOR or TINT. Once the desired adjustment bar is displayed, use the VOLUME UP/DOWN buttons to adjust the setting. The display will automatically turn off if no adjustments are made within 6 seconds, or if any other button is depressed.

29. VOLUME DOWN (-) Button*

Use these buttons to decrease the volume level of the headphone jacks. They are also used to make picture adjustments in picture select mode.

30. VOLUME UP (+) Button*

Use these buttons to raise the volume level of the headphone jacks, They are also used to make picture adjustments in picture select mode.

Note: The volume buttons will not affect the volume of wireless headphones or a wired RF modulator. When using these devices the volume must be adjusted with the wireless headphone volume control or with your radio's volume control (see page 16, Headphones, or page 17, Wired FM Modulator).

31. NUMBERS Buttons

Allows the user to enter the numbers 0 to 9 for selection of CD tracks, DVD chapters, and password setting.

-12-

128-6702 12 of 32

32. EJECT(▲) Button*

The disc will be ejected from disc compartment.

33. FM TRANSMITTER SELECT Button

Selects the FM modulator Frequency (Frequency 1: 88.3MHz, Frequency 2: 88.7MHz, Frequency 3: 89.1MHz, Frequency 4: 89.5MHz, Frequency 5: 89.9MHz).

34. FM TRANSMITTER ON/OFF Button

Turns FM Modulator power on/off and switches between the video program audio (Pod audio) and Satellite radio audio (Sat audio).

128-6702 13 of 32

-13-

Turning the VOD808 On or Off

- 1. Sliding the screen release lock forward will unlock the LCD screen and it will drop down slightly. Pivot the screen downward until a comfortable viewing angle is reached. The internal friction will hold the screen in position while the system is in use.
- 2. Pressing the power button on the unit or the remote control will turn the system on or off alternately. When in use the internal backlighting will illuminate the controls.
- 3. After the unit has been turned on and is displaying a picture, adjust the viewing angle, by pivoting the screen to optimize the picture quality.
- 4. Remember to turn the unit off and pivot the LCD to the locked position when not in use.

CHANNEL TUNING SET UP

In order to easily access all available TV channels, it may be necessary to perform channel auto-programming whenever the vehicle's geographic location has changed, i.e. city to city, weak signal area.

Use the Source Select Button on the Remote Control to select TV mode.

- 1. Press the AUTO MEMORY button on the Remote Control Unit or the AUTO PROGRAM button on the drop down video unit. You will see the TV cycle through all its channels. The built-in microprocessor will automatically store each channel that is actively broadcasting in your area.
- 2. (A) To tune only strong clear channels with the CHANNEL UP/DOWN buttons, press the SKIP/SEARCH button on the Remote Control Unit until "SKIP MODE ON" is displayed on the bottom of the screen. The TV will now tune only to strong active channels when the UP or DOWN buttons are used on the monitor or remote control.


-14-

128-6702 14 of 32

- 3. (B) To tune weak or marginal channels with the CHANNEL UP/DOWN buttons, press the SKIP/SEARCH button on the Remote Control Unit until "SKIP MODE OFF" is displayed on the bottom of the screen. Tune to the desired channel using the CHANNEL UP/DOWN buttons or go directly to the channel by using the 0-9 buttons on the Remote Control.
- 4. To ERASE a channel, press the ERASE/WRITE button on the Remote Control Unit until "MANUAL MEMORY XX ERASE" is displayed on screen. To STORE a channel, press the button until the MANUAL MEMORY XX ADD is displayed on screen.

Overhead Dome Lights


The Dome lights integrated into the VOD808 are controlled by a three position slide switch. Sliding the switch to the on position will turn the lights on. The off position will prevent the lights from turning on at all times, and the auto position will allow the lights to turn on and off with the vehicle's interior lighting. Refer to the Installation Manual for the wire connections. Do not leave the vehicle unattended with the dome light switch in the on position, as this could result in a discharged battery.



128-6702 15 of 32

Remote Sensor

The VOD808 incorporates two infrared sensors which relay signals from the remote control to allow the unit to be controlled simply by pointing its remote control at the remote sensor eye. The repeater function allows control of auxiliary equipment such as an Audiovox Video Cassette Player. The infrared sensor can relay signals from most manufacturer's remote controls to its respective component connected to the Video 1 inputs. In this case you must use the remote control supplied with the component.



Special Operation Feature

- When system power is off, the VOD808 can detect when a disc is inserted and automatically power on and load the disc.
- When system power is off, eject the disc by pressing the EJECT button.
- Source will be automatically changed to DVD mode when a disc is inserted.

Accessories

Wireless Headphones

The VOD808 includes a built-in infrared transmitter for use with Audiovox wireless headphones (Part Number MVIRHS). The volume can then be adjusted using the controls on each headset. The wireless headphones must be used within a line of sight from the transmitter, as infrared transmissions, like visible light travel only in a straight line. See the documentation accompanying your Audiovox wireless headphones.

Wireless Headset Special Features

- Automatic Level Control prevents input signal over loading.
- Uses high frequency infrared light to assure a clean signal for clear reception.

-16-

128-6702 16 of 32

Wired Headphones

There are two 1/8" headphone jacks on the VOD808 that can be used with any standard wired stereo headphones. These jacks are controlled by the volume up / down buttons on the VOD808 remote control. Remove the protective plastic cover to access the jacks. Remember to replace the cover when the jacks are not in use.

Wired FM Modulator

The VOD808 is equipped with an RF modulator, that allows you to listen to the VOD808 audio signal by tuning your vehicle's radio to the selected frequency, (88.3, 88.7, 89.1,89.5, 89.9MHz). This feature is accessed by using the FM transmitter buttons on the remote (On/Off, Select). Whenever the RF modulator is on, broadcast reception on the vehicles radio will be poor. Switching off the FM modulator will allow normal radio reception.

AV1

The video inputs may be connected to a Video cassette Player (VCP), video game system, or other audio / video devices. To access the AV1 inputs, turn the VOD808 on and press the source button on the VOD808 or the Source button on the remote control until "AV1" is displayed on the screen. Turn the video source component on with its power button or remote control. The VOD808 is now ready to play the audio and video signals from the source connected to AV1 input.

AUX

A video game system, Camcorder or other audio/video device may be connected to the AUX input jacks (see Figure 1. for location of these jacks). To access the AUX source, turn the VOD808 or the Source button on the remote control. The VOD808 is now ready to play the audio and video signals from the source connected to the AUX input.

IR2

Any pre-amp level (CD Changer, Satellite Radio, etc) audio source may be input into the second IR input. When using Audiovox headphones (part number IR2CHS) simply switch to channel B to listen to the source connected to the second IR input.

-17-

128-6702 17 of 32

DVD Basics

To get the optimum use out of the DVD section, make sure you read this section completely.

Regional Coding

Both the DVD player and disc are coded by region. These regional codes must match in order for the disc to play. If the codes don't match, the disc won't play. This unit's code is region 1. Other regional codes cannot be played in this unit. The unit will display "WRONG REGION."

Types of Discs your DVD will play

- DVD discs DVDs discs which contain video.
- Audio discs Audio CDs contain musical or sound content only.
- MP3 discs A disc that contains audio files (for example, a CD-R with downloaded MP3 files).
- VCD discs -VCD discs which contain video.

Loading and Playing Discs

Before you load a disc, make sure that it is compatible with the player. *Note: the following Discs CANNOT be used with this player :*

- MiniDisc
- Laserdisc
- CD-I, CD-ROM, DVD-ROM

To load and Play a Disc

When you press the Power button the unit will turn on and display the source selected. Insert the disc (Label Up) into the disc compartment. When the disc is half way in it will be automatically pulled in and change the source to DVD mode and start the playback.

-18-

128-6702 18 of 32

Settings and Adjustments

This chapter describes how to set and how to adjust using the on-screen SETUP menu.

Using the Setup Menu

Using the setup display, you can do the initial setup, adjust the picture quality, and set the various outputs. You can also set a language for the on-screen display and the setup display and limit play back by children.

- 1) Press the SETUP button to display the "setup menu" on the TV screen.
- 2) Select the main item you want using the cursor (♦•) buttons, and then press the ENTER button.

To Cancel Using the Setup Display


Press the SETUP button on the remote.

Setting the Language for On-Screen Display

Press the SETUP button and using the (ts) buttons select "OSD LANGUAGE".

OSD (On-Screen Display) Language Menu

The OSD Language Menu allows the user to select the language for the on-screen display. Press \blacklozenge and then use the ($\checkmark \blacktriangle$) buttons to select the desired language. The user can select either English, French or Spanish for the OSD language.



-19-

128-6702 19 of 32

Settings for Display

Press the SETUP button and select Display. The DISPLAY SETUP allows you to adjust screen setting (aspect ratio) Press \blacktriangleright and then use the ($\checkmark \blacktriangle$)buttons to select the appropriate

settings.

<u>4:3/PS</u>

This displays the wide picture on the screen with a portion of the left & right side removed.

<u>4:3/LB</u>

This displays the wide picture with black bands on the upper and lower portions of the screen.


<u>16:9</u>


This displays a picture with black bands on the upper and lower portion of the screen.

Then press ENTER to confirm your selection.

Defaults Settings

Press the SETUP button and select Defaults. The DEFAULTS SETUP allows you to reset ALL options to factory defaults. Press ▶ and then press Enter to implement the reset.






-20-

128-6702 20 of 32

Settings for Parental (Parental Control)

This section of the SETUP Menu allows user to control the content of movie playback from G to NO_PARENTAL. The Parental Control function allows you to limit viewing to your preference.



| | SETUP MENU | - M/ | AIN PAGE |
|--------------|------------------|------------------|-------------|
| | | | |
| 6 | DISPLAY | | G |
| T | OSD LANG | | PG |
| | DEFAULTS | 1 | PG 13 |
| _ | PARENTAL | \triangleright | R |
| 9 | PASSWORD | | NC-17 |
| Ĩ | | | ADULT |
| | | | NO_PARENTAL |
| _ I I | EXIT SETUP | | |
| SET | PARENTAL CONTROL | _ | |

Note: The lower the value, the more strict the limitation. Press the Enter button to confirm the selection.

2. Input a password in 4 digits using the numeric buttons then press the Enter button. The Default password is 3308.

128-6702 21 of 32

-21-


Settings for Password (Parental Control Password)

Press the SETUP button and select PASSWORD. The PASSWORD SETUP allows you to change the parental control password. Press ▶ and then press Enter.

<u>OLD PASSWORD</u> Input the old password (4 digits) <u>NEW PASSWORD</u> Input a new password (4 digits) using numeric buttons <u>CONFIRM PWD</u>

Confirm the new password by entering the same new password again.

Then press Enter to implement it.



128-6702 22 of 32

-22-

Playing Audio CDs

When playing an audio CD, the DISPLAY Banner appears automatically. It displays the current track and the amount of the time for that track playing, the total amount of time on the disc and the current time running on the disc. Press the DISPLAY button on the remote to display the DISPLAY Banner. The options below show you what happens when you press the DISPLAY button.

The default mode for DISPLAY feature is SINGLE ELAPSED

| Press DISPLAY 1x | SINGLE REMAIN appears along with the current track playing and the amount of time left. |
|------------------|--|
| Press DISPLAY 2x | TOTAL ELAPSED appears along with the current track playing and the total time playing on the CD. |
| Press DISPLAY 3x | TOTAL REMAIN appears along with the current track playing and the amount of time left on the CD. |
| Press DISPLAY 4x | Turns off the DISPLAY Banner. |
| Press DISPLAY 5x | SINGLE ELAPSED appears along with the current track playing and the time of that track. |

Using the REPEAT Feature

The default mode for the Repeat feature is OFF. Pressing REPEAT consecutively changes the repeat options:

- *REP-ONE* repeats the track that is playing.
- *REP-ALL* repeats the disc that is playing.
- REPEAT OFF

As you toggle through the options, the repeat option changes at that time. The tracks, for example, repeats once that tracks has ended. The selected repeat option loops repeatedly until you turn it off.

-23-

128-6702 23 of 32

Playing MP3 Discs

MP3 is a format for storing digital audio. An audio CD-quality song can be compressed into the MP3 format with very little loss of quality, while taking up much less space. CD-R discs that have been encoded in MP3 format can be played on your DVD player.

Press the DISPLAY button on the remote to DISPLAY Banner. The options below show you what happens when you press the DISPLAY button repeatedly.

TIME ELAPSED appears along with the amount of time the song has played. *TIME ELAPSED* and the time will remain on-screen until you press DISPLAY again.

TIME REMAIN appears along with the amount of time left in the song that is playing. *TIME REMAIN* and the time that is left remain on-screen until you press DISPLAY again.

OFF appears and will turn off the display of the amount of time the song has played.

| SMART NAV | | | |
|------------------------|-----------------|---|--|
| ROOT | . | 0 | |
| FOREVER LOVE | MP3 artist – tr | 1 | |
| FOREVER LOVE | MP3 artist – tr | 2 | |
| | MP3 artist – tr | 3 | |
| | MP3 artist – tr | 4 | |
| | MP3 artist - tr | 5 | |
| PLAY MODE : PROGRAM P0 | | | |

-24-

128-6702 24 of 32

Selecting Folders and Songs

When an MP3 disc is inserted in the player, the Smart Navi screen appears automatically. You can change folders and songs through Smart Navi. The DVD player plays the songs in order they were burned on to the disc. 1. If a disc is playing, press STOP. Press the up or down arrow button to go through the folder list on the right side of the Smart Navi screen.

2. Once the folder you want is highlighted, press Enter (the folder list shifts to the left side of the screen and the songs in the folder appear on the right).

3. Press the up or down arrow button to go through the song list and highlighted the song you want. Press Enter to begin playback of the highlighted song.

Skipping Songs

Use the Next $(\triangleright \mid)$ button on the remote control to move to the next song. Use the Previous $(\mid \triangleleft \triangleleft)$ button to move to the previous song.

Using The Repeat Feature

The default mode for the Repeat feature is OFF. Pressing REPEAT consecutively changes the repeat options:

- REP-ONE- repeats the songs that is playing.
- FOLDER REP- repeats the folder that is playing.
- FOLDER- turns off repeat and returns to regular play mode.

-25-

128-6702 25 of 32

Selecting a Play Mode

You can choose what order the songs will play on a disc temporarily. The FOLDER play mode is the default. To access the play mode options, press STOP if the disc is playing. Press the right arrow button until the PLAY MODE option is highlighted. Use the up or down arrow to choose a option. The play mode options are:

- SINGLE: Play a selected song.
- REP-ONE: Repeats the song that is playing.
- FOLDER: Plays the folder in the order the songs were recorded.
- FOLDER REP: Repeats the folder that is playing.
- DISC SCAN: Scan each song in the disc for 10 seconds.
- DISC: Plays the entire disc.
- DISC REP: Repeats the entire disc that is playing.
- RANDOM: Plays the songs in the random order.
- SHUFFLE ON: Plays the songs in random order (from within the selected folder)
- PROG-P0: Allows you to create a playlist. This option will change to PROG-END (Program End) when you have done your playlist.

-26-

128-6702 26 of 32

Program Play

To use the program play option, you must create a playlist of songs in the order you want them to play. *Note: Once you begin adding songs from a folder to create your play list, you cannot add songs from a different folder.*

1. Use the **I** button to the play mode folder.

2. Choose the PROGRAM P0 option from PLAY MODE using **V** button.

- 3. Using ◀▶ button to the desired folder and press Enter, again using ◀▶ button to the song list. Choose the song with ▼▲ or Number button. Add songs to the program list by pressing ENTER once the song is highlighted. The song you have chosen and the number of songs you have chosen will appear at the top of the screen. For example, if you choose the number five song within the folder and it is the first song you have chosen, PROGRAM P01:0005 appears.
- 4. You can continue to add songs to the list from within the same folder by using the up or down arrow button and then pressing ENTER to add it to the list.
- 5. When you are done creating the list, press STOP to end the programming, the play mode then will show PROG-END. Then press PLAY to begin the program play mode.

Deleting the Playlist

To delete the entire playlist, press STOP while the disc is playing and change to other play mode, or reprogram the playlist by following step 1-5 above.

-27-

128-6702 27 of 32

Troubleshooting

| PROBLEM | SOLUTION |
|---|--|
| Poor in vehicle radio reception (FM modulator installed) | Check the condition of the vehicle's radio antenna. Verify that the antenna is fully raised. If a wired RF modulator has been installed, verify that it is turned OFF by using remote. |
| IR sensor inoperative | Verify that the batteries in the remote are fresh. Verify that the remote sensor eye is not obstructed. Verify that the infrared transmitter is affixed over the sensor eye of the component to be controlled. |
| Disc won't play | Insert a disc with the label side facing up. Check the type of disc you put into disc tray. This DVD only plays digital video discs, audio CDs and MP3s. Both the unit and the disc are coded by region. If the regional codes don't match, the disc can't be played. This DVD is Region Number 1. |
| Play starts, but then stops immediately | The disc is dirty. Clean it. Condensation has formed. Allow player to dry out. |

| PROBLEM | SOLUTION | |
|--|---|--|
| No sound or distorted sound | Make sure your DVD is connected properly. Make sure all cables are securely inserted into the appropriate jacks. If you are using the IR headphones, make sure you turn on the IR power. Make sure Modulator is ON and the proper Frequency has been selected. | |
| Can't advance through a movie | • You can't advance through the opening credits and warning information that appears at the beginning of movies because the disc is programmed to prohibit that action. | |
| The icon ((^{flb} ₇) appears on screen | The feature or action cannot be completed at this time because: 1. The disc's software restricts it. 2. The disc's software doesn't support the feature (e.g., angles) 3. The feature is not available at the moment. 4. You've requested a title or chapter number that is out of range. | |

128-6702 28 of 32

-28-

| PROBLEM | SOLUTION |
|-------------------------------|---|
| Picture is distorted | The disc might be damaged. Try another disc. It is normal for some distortion to appear during forward or reverse scan. |
| No forward or reverse scan | Some discs have sections that prohibit rapid scanning or title and chapter skip. If you try to skip through the warning information and credits at the beginning of a movie, you won't be able to. This part of the movie is often programmed to prohibit skipping through it. |

128-6702 29 of 32

-29-

| Replacement Parts | | Specifications | |
|-------------------------------------|----------|------------------------|--------------------------|
| Remote Control | 136B2154 | LCD Backlighting | Edge Light Tube |
| | | Resolution | 1440 x 234 |
| Left Protective Cover for IR Sensor | 102B3689 | Pixels | 336,960 |
| | | Operation Temperature | 32 -140º F (0 - 60º C) |
| Right Protective Cover for | | Storage Temperature | -4 - 176º F (20 - 80º C) |
| Headphones Jacks | 102B3690 | Backlight life | 10,000 Hours |
| | | Video Display System | NTSC |
| | | Headphone Audio Output | 0.03W @ 16 ohms |
| | | Low Level Audio Output | 620 mvp-p |
| | | | 1 kHz @ -15 dB |
| | | Video Output | 1.0Vp-p @ 75 ohms |
| | | Power Source | 12V DC |
| | | | |

-30-

This page is intentionally left blank



12 MONTH LIMITED WARRANTY

Applies to Audiovox Mobile Video Products

AUDIOVOX ELECTRONICS CORP. (the Company) warrants to the original retail purchaser of this product that should this product or any part thereof, under normal use and conditions, be proven defective in material or workmanship within 12 months from the date of original purchase, such defect(s) will be repaired or replaced with reconditioned product (at the Company's option) without charge for parts and repair labor.

To obtain repair or replacement within the terms of this Warranty, the product is to be delivered with proof of warranty coverage (e.g. dated bill of sale), specification of defect(s), transportation prepaid, to the Company at the address shown below.

This Warranty does not extend to the elimination of externally generated static or noise, to correction of antenna problems, to costs incurred for installation, removal or reinstallation of the product, or to damage to tapes, discs, speakers, accessories, or vehicle electrical systems.

This Warranty does not apply to any product or part thereof which, in the opinion of the Company, has suffered or been damaged through alteration, improper installation, mishandling, misuse, neglect, accident, or by removal or defacement of the factory serial number/bar code label(s). THE EXTENT OF THE COMPANY'S LIABILITY UNDER THIS WARRANTY IS LIMITED TO THE REPAIR OR REPLACEMENT PROVIDED ABOVE AND, INNO EVENT, SHALL THE COMPANY'S LIABILITY EXCEED THE PURCHASE PRICE PAID BY PURCHASER FOR THE PRODUCT.

This Warranty is in lieu of all other express warranties or liabilities. ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, SHALL BE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY. ANY ACTION FOR BREACH OF ANY WARRANTY HEREUNDER INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY MUST BE BROUGHT WITHIN A PERIOD OF 24 MONTHS FROM DATE OF ORIGINAL PURCHASE. IN NO CASE SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES FOR BREACH OF THIS OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, WHATSOEVER. No person or representative is authorized to assume for the Company any liability other than expressed herein in connection with the sale of this product.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damage so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights and you may also have other rights which vary from state to state.

U.S.A.: AUDIOVOX ELECTRONICS CORPORATION, 150 MARCUS BLVD., HAUPPAUGE, NEW YORK 11788 • 1-800-645-4994 CANADA : CALL 1-800-645-4994 FOR LOCATION OF WARRANTY STATION SERVING YOUR AREA

© Copyright 2002 Audiovox Electronics Corp. 150 Marcus Blvd. Hauppauge, NY 11788



For Customer Service Visit Our Website At WWW.AUdiOVOX.COM Product Information, Photos, FAQ's Owner's Manuals

> 128-6702 128-6702 32 of 32